

# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	F	ILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/729,758		12/05/2003	Timothy Chen	36287 (140945)	3201	
116	7590	11/15/2005		EXAM	INER	
PEARNE & GORDON LLP 1801 EAST 9TH STREET SUITE 1200 CLEVELAND, OH 44114-3108				LEE, W	LEE, WILSON	
				ART UNIT	PAPER NUMBER	
				2821		
·			DATE MAILED: 11/15/2005	DATE MAILED: 11/15/2005		

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)					
		10/729,758	CHEN ET AL.					
	Office Action Summary	Examiner	Art Unit					
		Wilson Lee	2821					
	The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
WHIC - Exter after - If NO - Failu Any (	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DANSIONS of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. Poperiod for reply is specified above, the maximum statutory period were to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing ed patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICA 36(a). In no event, however, may a repl vill apply and will expire SIX (6) MONTH cause the application to become ABAN	ATION.  ly be timely filed  IS from the mailing date of this communication.  NDONED (35 U.S.C. § 133).					
Status	, , , , , , , , , , , , , , , , , , , ,							
1)🖂	Responsive to communication(s) filed on <u>05 De</u>	ecember 2003.						
l <u>—</u>		action is non-final.						
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the ments is							
	closed in accordance with the practice under E	x parte Quayle, 1935 C.D.	11, 453 O.G. 213.					
Dispositi	ion of Claims	•						
4)🖂	Claim(s) 1-20 is/are pending in the application.	•						
1	4a) Of the above claim(s) is/are withdraw							
	Claim(s) is/are allowed.							
6)🖂	Claim(s) 1-20 is/are rejected.							
	Claim(s) is/are objected to.	• .						
8)□	Claim(s) are subject to restriction and/or	r election requirement.						
Applicati	ion Papers							
9)[	The specification is objected to by the Examine	r						
l	10)⊠ The drawing(s) filed on <u>12-5-03</u> is/are: a)⊡ accepted or b)⊠ objected to by the Examiner.							
,—	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.								
Priority ι	under 35 U.S.C. § 119							
	12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).							
l _	a) ☐ All b) ☐ Some * c) ☐ None of:							
	1. Certified copies of the priority documents have been received.							
	2. Certified copies of the priority documents have been received in Application No							
	3. Copies of the certified copies of the priority documents have been received in this National Stage							
	application from the International Bureau (PCT Rule 17.2(a)).							
* See the attached detailed Office action for a list of the certified copies not received.								
		:						
Attachmen	t(s)							
1) Notic	e of References Cited (PTO-892)		nmary (PTO-413)					
3) 🔯 Inforr	e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) r No(s)/Mail Date <u>2-23-04, 4-19-05</u> .		Mail Date rmal Patent Application (PTO-152)					
U.S. Patent and Tr PTOL-326 (R		tion Summary	Part of Paper No./Mail Date 20051111					

Art Unit: 2821

#### **Drawings**

The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, "a constant voltage supply circuit connected to said rectifier circuit" of Claim 4, must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abevance.

# Claim Rejections – 35 U.S.C. 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 1-20 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

In claim 1, line 4, "voltage/current" is vague whether it refers to voltage, current or both. Lines 9-10, "to allow a high dimming operation" is vague because it is not clearly defined. How does the term "high" modify "dimming operation"?

In claim 8, line 4, "voltage/current" is vague whether it refers to voltage, current or both.

In claim 14, line 6, "voltage/currents" is vague whether it refers to voltage, current or both. Line 17, "voltage/current" is vague whether it refers to voltage, current or both.

## Claim Rejections - 35 U.S.C. 103

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1, 2, 7 are rejected under 35 U.S.C. 102(e) as being anticipated by Mayer et al. (6,833,678).

Regarding Claim 1, Mayer (6,833,678) discloses an electronic ballast comprising:

Application/Control Number: 10/729,758 Page 4

Art Unit: 2821

an input rectifier circuit (GR) for rectifying an input voltage (See Col. 4, lines
 11-12);

- a voltage inverter circuit (T3, T4) for receiving a rectified input voltage from the input rectifier circuit, and for providing voltage or current to a discharge lamp (LP) (See abstract) for providing a dimmable light;
- a controller (CONT) for controlling the operation of the voltage inverter circuit;
   and
- a keep-alive feedback circuit (C2, J9, J10) for feeding back energy from the discharge lamp to the voltage inverter circuit (through D1) (See Col. 6, lines 15-20. *i.e.* It starts the oscillation of the power factor correction device again via C2).

Regarding Claim 2, Mayer discloses that keep-alive feedback circuit utilizes a capacitor (C2) for the feeding back energy (See Figure 3).

Regarding Claim 7, Mayer discloses a dimmable discharge lighting apparatus comprising: the electronic ballast of claim 1; and the discharge lamp (LP), wherein the apparatus is for providing a dimmable light when connected to a dimming circuit (PFC) for providing the input voltage (See Figure 1).

Claims 1-3 rejected under 35 U.S.C. 102(b) as being anticipated by Arts et al. (6,051,938).

Regarding Claim 1, Arts (6,051,938) discloses an electronic ballast comprising:

- an input rectifier circuit (LR) for rectifying an input voltage (See Figure 2);

Application/Control Number: 10/729,758 Page 5

Art Unit: 2821

- a voltage inverter circuit (S1, S2) for receiving a rectified input voltage from the input rectifier circuit, and for providing voltage or current to a discharge lamp (Li) (See Col. 4, lines 65-67, See Figure 2) for providing a dimmable light;

- a controller (CR) for controlling the operation of the voltage inverter circuit;
   and
- a keep-alive feedback circuit (C5, D7, and the rest of HR) for feeding back energy from the discharge lamp to the voltage inverter circuit (S1, S2) (through LR) (See Figure 2).

Regarding Claim 2, Arts discloses that keep-alive feedback circuit utilizes a capacitor (C5) for the feeding back energy (See Figure 2).

Regarding Claim 3, Arts discloses that

- the input rectifier (LR) comprises a plurality of diodes (D1-D4), and further wherein
- the keep-alive feedback circuit (C5, D7 and the rest of HR) comprises a
  capacitor (C5) connected to both the rectifier circuit (LR) and the discharge
  lamp (Li) for ensuring that at least one of the plurality of diodes is always
  conducting (diodes are always conducting).

Claims 8 and 12 are rejected under 35 U.S.C. 102(e) as being anticipated by Newman Jr. et al. (6,674,248).

Regarding Claim 8, Newman discloses an electronic ballast comprising:

an input rectifier circuit (820) for rectifying an input voltage;

- a voltage inverter circuit (860) for receiving a rectified input voltage from said input rectifier circuit, and for providing voltage/current to a discharge lamp
   (880) for providing a dimmable light;
- a controller (882) for controlling the operation of the voltage inverter circuit;
   and
- a constant voltage supply circuit (884) for supplying a substantially constant voltage to said controller (882), wherein said constant voltage supply circuit provides said substantially constant voltage both at low input currents and at high input currents (AC current).

Regarding Claim 12, Newman discloses a keep-alive feedback circuit (890) for feeding back energy from said discharge lamp (880) to said voltage inverter circuit (860) to allow a high dimming operation of said apparatus.

#### IDS

Ribarich et al. "(2002/140,373)" has been withdrawn from consideration because it is an invalid number. Note that US PG publication comprises seven numbers after the four digit year.

# Allowable subject matter

Claims 14-20 would be allowable if rewritten or amended to overcome the rejection(s) under 35 U.S.C. 112, 2nd paragraph, set forth in this Office action.

Claims 4-6, 9-11, 13 would be allowable if rewritten to overcome the rejection(s) under 35 U.S.C. 112, 2nd paragraph, set forth in this Office action and to include all of the limitations of the base claim and any intervening claims.

Application/Control Number: 10/729,758 Page 7

Art Unit: 2821

#### Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Qian et al. (5,914,572) discloses a discharge lamp driving circuit having resonant circuit defining two resonance modes. Hernandez Martucci et al. (5,757,143) discloses a discharge lamp control circuit with feedback loop to lower harmonic distortion.

### Correspondence

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Examiner Wilson Lee whose telephone number is (571) 272-1824. Papers related to Technology Center 2800 applications may be submitted to Technology Center 2800 by facsimile transmission. Any transmission not to be considered an official response must be clearly marked "DRAFT". The official fax number is (571) 273-8300. Information regarding the status of an application may be obtained from the Patent Application Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <a href="http://pair-direct.uspto.gov">http://pair-direct.uspto.gov</a>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Wilson Lee

Primary Examiner

U.S. Patent & Trademark Office

The Se

11/14/05